

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/628,110	07/28/2003	Sergey Gazenko	3544			
7590 10/27/2005			EXAM	INER		
Sergey Gazenl			HARLE, JENNIFER I			
1106 Park Side Mason, OH 4			ART UNIT PAPER NUMBER			
•			1654			

DATE MAILED: 10/27/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application	on No.	Applicant(s)			
Office Action Summary		10/628,11	10/628,110 GAZENKO, SERGEY Examiner Art Unit		GEY		
		Examiner			T		
		Jennifer I.	Harle	1654			
Period fo	The MAILING DATE of this communication a or Reply	ppears on the	cover sheet with t		ddress		
WHI(- Exte after - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR REP CHEVER IS LONGER, FROM THE MAILING nsions of time may be available under the provisions of 37 CFR SIX (6) MONTHS from the mailing date of this communication. O period for reply is specified above, the maximum statutory period are to reply within the set or extended period for reply will, by stat reply received by the Office later than three months after the mailed patent term adjustment. See 37 CFR 1.704(b).	DATE OF TH 1.136(a). In no eve od will apply and wi lute, cause the appl	HIS COMMUNICAT ent, however, may a reply ill expire SIX (6) MONTHS lication to become ABAND	FION. be timely filed from the mailing date of this DONED (35 U.S.C. § 133).	ŕ		
Status							
1)⊠	Responsive to communication(s) filed on 18	August 2005					
2a)⊠		his action is n			i		
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the ments is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposit	ion of Claims			•			
4)⊠ 5)□ 6)⊠ 7)□ 8)□	Claim(s) <u>6-9</u> is/are pending in the application 4a) Of the above claim(s) is/are withden Claim(s) is/are allowed. Claim(s) <u>6.8 and 9</u> is/are rejected. Claim(s) <u>7</u> is/are objected to. Claim(s) are subject to restriction and	rawn from co					
	ion Papers						
	The specification is objected to by the Exami			tha Francisca			
10)[2]	The drawing(s) filed on is/are: a) additional and any objection to the any objection to the drawing and any objection to the any objection to the drawing and any objection to the any objection to the drawing and any objection to the angle of the angle of the angle of the angle of the ang	-	-				
	Replacement drawing sheet(s) including the corre				CER 1 121(d)		
11)	The oath or declaration is objected to by the	•	- · ·				
Priority :	under 35 U.S.C. § 119			•			
12)□ a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Bure See the attached detailed Office action for a li	ents have bee ents have bee riority docume eau (PCT Rule	n received. n received in Appl ents have been rec e 17.2(a)).	ication No ceived in this Nationa	ıl Stage		
	ce of References Cited (PTO-892)			mary (PTO-413)			
3) 🔲 Infor	ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/0 er No(s)/Mail Date	08)		ail Date mal Patent Application (PT	⁻ O-152)		

Application/Control Number: 10/628,110 Page 2

Art Unit: 1654

DETAILED ACTION

1. Claims 6-9 are pending. Claims 1-5 were canceled by Amendment dated August 18, 2005.

Priority

2. As no arguments or response to the examiner's statement regarding granting of priority has been received. The examiner's arguments are incorporated by reference, the request for priority is denied and made final.

Drawings

3. In addition to Replacement Sheets containing the corrected drawing figure(s), applicant is required to submit a marked-up copy of each Replacement Sheet including annotations indicating the changes made to the previous version. The marked-up copy must be clearly labeled as "Annotated Sheets" and must be presented in the amendment or remarks section that explains the change(s) to the drawings. See 37 CFR 1.121(d)(1). Failure to timely submit the proposed drawing and marked-up copy will result in the abandonment of the application.

Specification

4. The amendment filed August 18, 2005 is objected to under 35 U.S.C. 132(a) because it introduces a plethora of new matter into the disclosure, including the specification, drawings and claims. 35 U.S.C. 132(a) states that no amendment shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is, for example as follows: the underlined portions of [001], [002][003], [004], [005], [006], [007], deletion of for cells in [008] because toxicity could be for organisms that are not cellularly based, deletion of could in [0008] making it a positive recitation rather than a probable recitation,

Art Unit: 1654

[009], [011], [0012], [013], [014], [015], [016], [017] (also note that there is a change to microscopy from microscope, which can have different meanings as microscopy is different than how microscope was used originally), [018], [019], [028], [029], [030], [031], [032] [033], [0334], [035], Description of the Drawings is replete with new matter, for examples, as it adds new items to the figures and descriptive elements, as well as new drawings, [036]-[040], [041], [042, [043], [044]-[070]; Drawings – new drawings are added adding new matter, writing is added to the drawings along with new components, i.e. Fig. 5 - manifold, air pump, syringe, anti-body-enzyme conjugates, see also Fig. 6 and 4 (with additional component) Fig. 2, Fig. 3; Claims see, e.g. (picoliter format: 1-500 picoliters, microchannels that are open from both sides and attached to a filtration material, with a filter attached to one side of the micro-channel plate for trapping cells, attaching solid of liquid nutrient media to the side of the filter, replacing the micro-plate with a filter ..., replace the micro-plate with a filter..., light scattering (turbidity), or natural fluorescence ..., biomolecules, after cleaving by specific indicator enzymes.

Applicant is required to cancel the new matter in the reply to this Office Action. If
Applicant considers that the additions the Specification should not be considered new matter,
Applicant should point out specific references in the original specification, which particularly
and distinctly support each and every addition to the Specification, Drawings and Claims. In the
event that Applicant desires to retain the changes to the Specification but they are still deemed
new matter, the Applicant can file a Continuation-in-Part. See MPEP 201.08 and 201.11201.11(a). If Applicant has any questions regarding continuations-in part and their filing,
Applicant is directed to contact the PTO help desk as set forth previously or the official web site.
If further assistance is needed, Applicant is encouraged to contact the examiner.

Application/Control Number: 10/628,110

Art Unit: 1654

5. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: Claim 6 – replacing the micro-plate with a filter ... (Could not find any support in the specification – the microchannel plate is never disclosed to be replaces by a filter).

Page 4

6. Claims 7 and 8 are objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. Claim 7 recites that the micro-colonies don't need additional coloration, whereas in claim 6, they are already colored by absorbent or fluorescent dyes.

Claim Rejections - 35 USC § 112

- 7. The 35 US § 112, first paragraph, rejection as failing to comply with the enablement rejection is withdrawn in light of Applicant's amendment to the Specification. However, if the amendments to the Specification were withdrawn, the rejection would be reinstituted.
- 8. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 9. Claims 6 and 9 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. How can the micro-plate be replaced by a filter in step 5 when it has already been replaced by a filter in step 4? It is unclear as to how you will correlate the number of live cells in the initial sample with those in the micro-colony. In claim 9, it is unclear what is

being cleaved by the specific indicator enzymes, is it the cell, is it a receptor, is it portions of the micro-colony from each other?

Page 5

- 10. The term "rapid analysis" and "long and thin" in claim 6 are relative terms which renders the claim indefinite. The term "rapid analysis" is not defined by the claim, the specification does not provide a standard for ascertaining the requisite degree, and one of ordinary skill in the art would not be reasonably apprised of the scope of the invention, while it does provide example in conjunction with parameters for the long and thin channels, it does not specifically set forth what rapidly means. It is suggested that Applicant utilize a range of times and parameters for long and thin.
- 11. Claim 8 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. It is unclear what after reaction with cells structures or biomolecules has to do with coloration and detection of microcolonies, and where it occurs in the process of claim 6 and how it is carried out.

Conclusion

12. An examination of this application reveals that applicant is unfamiliar with patent prosecution procedure. While an inventor may prosecute the application, lack of skill in this field usually acts as a liability in affording the maximum protection for the invention disclosed. Applicant is advised to secure the services of a registered patent attorney or agent to prosecute the application, since the value of a patent is largely dependent upon skilled preparation and prosecution. The Office cannot aid in selecting an attorney or agent.

Application/Control Number: 10/628,110

Art Unit: 1654

A listing of registered patent attorneys and agents is available on the USPTO Internet web site http://www.uspto.gov in the Site Index under "Attorney and Agent Roster." Applicants may also obtain a list of registered patent attorneys and agents located in their area by writing to the Mail Stop OED, Director of the U. S. Patent and Trademark Office, PO Box 1450, Alexandria, VA 22313-1450

13. This action is a **final rejection** and is intended to close the prosecution of this application. Applicant's reply under 37 CFR 1.113 to this action is limited either to an appeal to the Board of Patent Appeals and Interferences or to an amendment complying with the requirements set forth below or the filing of a Continuation in Part, as set forth above.

If applicant should desire to appeal any rejection made by the examiner, a Notice of Appeal must be filed within the period for reply identifying the rejected claim or claims appealed. The Notice of Appeal must be accompanied by the required appeal fee of \$500.00 if a large entity and \$250.00 if a small entity.

If applicant should desire to file an amendment, entry of a proposed amendment after final rejection cannot be made as a matter of right unless it merely cancels claims or complies with a formal requirement made earlier. Amendments touching the merits of the application which otherwise might not be proper may be admitted upon a showing a good and sufficient reasons why they are necessary and why they were not presented earlier.

A reply under 37 CFR 1.113 to a final rejection must include the appeal from, or cancellation of, each rejected claim. The filing of an amendment after final rejection, whether or not it is entered, does not stop the running of the statutory period for reply to the final rejection unless the examiner holds the claims to be in condition for allowance. Accordingly, if a Notice

Art Unit: 1654

of Appeal has not been filed properly within the period for reply, or any extension of this period obtained under either 37 CFR 1.136(a) or (b), the application will become abandoned.

14. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer I. Harle whose telephone number is (571) 272-2763. The examiner can normally be reached on Monday through Thursday, 6:30 am to 5:00 pm,

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bruce Campell can be reached on (571) 272-0974. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/628,110 Page 8

Art Unit: 1654

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jennifer I. Harle Examiner Art Unit 1654

October 25, 2005

CHRISTOPHER R. TATE
PRIMARY EXAMINER